



City of Hendersonville
Building and Codes Department
101 Maple Drive North
Hendersonville, TN 37075
(615) 822-3802

NOTICE TO POOL CONTRACTORS

The City of Hendersonville is enforcing the following field inspections on all swimming pools and spas. The following are some basic guidelines:

- **Pre-gunite:**
 - All reinforcement is in place.
 - Underground electrical conduit is in trench.
 - Bonding to pool, equipment pad, light niche, all metal objects within 5' of pool.
 - Gas piping in trench and on test.
 - Water lines on test at 35 PSI.
- **Pre-deck:**
 - All forms in place with drains installed.
 - Bonding of all metal objects within 5' of waters edge (handrails, ladders, umbrella pockets).
 - Min. slab thickness with no exposed pipes or conduit (wrap if necessary).
- **Pre-plaster: - Prior to filling with water:**
 - All safety devices **must be installed** and operating properly.
 - Pool barrier/alarms/self-closing doors
 - Self-closing, self-latching gate(s) must swing away from pool.
 - "Listed" potting compound in all light niche fixtures.
 - Equipment installed and ready for operation.
 - Bonding is in place.
 - Pool sub panel completed.
 - Correct breaker size at main panel for equipment installed.
 - All backflow devices installed.
 - AVB on supply line.
 - Backflow preventers on hose bibs.
 - Bonding of all metal objects within 5' of pool.
- **Pool Final:**
 - Safety glazing where required.
 - Check sidewalks for damage from equipment access.
 - Lot drainage to fall toward street.

Please be ready for the inspection desired before scheduling an inspection request.